

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	94272	((signal\$2 near2 session) or establish\$3 or initiat\$3 or setup or set\$1up) same (empty or null or dummy or "without" or "no") near4 (control or RTP or signal\$5 or trac\$3 or test\$3 or message)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:02
L2	94272	((signal\$2 near2 session) or establish\$3 or initiat\$3 or setup or set\$1up) same ((empty or null or dummy or "without" or "no") near4 (control or RTP or signal\$5 or trac\$3 or test\$3 or message))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:03
L3	98284	((signal\$2 near2 session) or establish\$3 or initiat\$3 or setup or set\$1up) same ((empty or null or dummy or "without" or "no") near4 (control or RTP or signal\$5 or trac\$3 or test\$3 or message or packet))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:05
L4	10850	((empty or null or dummy or "without" or "no") near4 (control or RTP or signal\$5 or trac\$3 or test\$3 or message or packet)) near4 (payload or content)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:07
L5	1407	3 4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:07
L6	25696328	(@rlad<"20031126" or @ad<"20031126" or @ptad<"20031126")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:07
L7	1013	5 6	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:07
L8	7142	(payload or content) near3 ((empty or null or dummy or "without" or "no") near3 (control or RTP or signal\$5 or trac\$3 or test\$3 or message or packet))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:08

L9	790	7 8	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:09
L10	132784	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:09
L11	221	9 10	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:09
L12	401	((signal\$2 near2 session) or establish\$4 or initiat\$3 or setup or set\$1up) same (payload or content) near3 ((empty or null or dummy or "without" or "no") near3 (control or RTP or signal\$5 or trac\$3 or test\$3 or message or packet))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:10
L13	257	6 12	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:11
L14	2	10/267750	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/28 12:27
L15	2	("20070286165").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 12:49
S1	37	(report or RTCP) with (depend \$3 or respons\$3 or correspond \$3 or associat\$3 or based or basis) near5 (test\$3 or trac\$3 or (setup or set\$1up)) near3 (packet or frame)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 17:54
S2	149	(RTCP) with (depend\$3 or respons\$3 or correspond\$3 or associat\$3 or based or basis) near5 (signal\$5 or control\$3 or test\$3 or trac\$3 or (setup or set\$1up)) near3 (packet or frame or message or signal\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 18:22

S3	25696328	((@rlad<"20031126" or @ad<"20031126" or @ptad<"20031126"))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 19:46
S4	49	S2 S3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 19:46
S5	49	(ack or acknowledg\$5) near5 (RTCP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 19:47
S6	19	(RTCP near2 report) with (establish\$5 or setup or set\$1up or initiat\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 20:05
S7	1	S3 S6	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 20:05
S8	521	(RTCP) with (establish\$5 or setup or set\$1up or initiat\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 20:07
S9	252	S3 S8	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 20:07
S10	5	(RTCP) with (establish\$5 or setup or set\$1up or initiat\$3) with (ack or acknowledg\$5)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 20:13
S11	0	(determin\$3 or detect\$3 or identif\$5 or monitor\$3) near6 (channel or link) near4 (status or state or performance) with (number near2 (packet or data or frame)) with (jitter)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 20:37
S12	7	(channel or link) near4 (report or statistic or information or status or state or performance) with (number near2 (packet or data or frame)) with (jitter)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 20:39

S13	102	(RTP) with (empty or "no" or "without") near4 (content or payload)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 21:03
S14	72	S3 S13	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 21:03
S15	2	10/267750	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 21:53
S16	117	(session or set\$1up or setup or establish\$4 or initiat\$4) with (RTP near6 (dummy or null or "without" or "no" or empty))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 22:03
S17	59	S16 S3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 22:03
S18	4	(session or set\$1up or setup or establish\$4 or initiat\$4) with (RTP near6 (dummy or null or "without" or "no" or empty)) near3 (payload or bit or content)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 22:12
S19	2	S18 S3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/27 22:13

1/28/2009 2:08:00 PM